

SHENZHEN PETERPOWER TECHNOLOGY CO.,LTD

新 产 品 设 计 介 绍

2025 New Product Introduction

- 20W Universal Charger with retractable cable



PE-20WCA

20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C Line: 5V3A,9V2.22A,12V1.67A

Output A :5V3A,9V2A,12V1.5A

Output C Line+A=15W

Dimension : 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black

- 20W Universal Charger with retractable cable

PE-20WCC

20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C1/2: 5V3A,9V2.22A,12V1.67A

Output C+C=15W


Dimension : 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black



- 30W Universal Charger with retractable cable

PE-30WCA



30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C Line:5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Output A :5V3A,9V2A,12V1.5A

Output C Line+A=15W

Dimension : 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black

- 30W Universal Charger with retractable cable

PE-30WCC

30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C1/2: 5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Output C+C =15W


Dimension : 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au


Color: White/Black



- 35W Universal Charger with retractable cable

35^{GaN}_W

FAST CHARGING WALL CHARGER
WITH STRETCHABLE CABLE



PORT:USB-A+C

PORT:USB-C+C

PE-35WCC Plug US/EU/UK/AU

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.91A,15V2.33A,20V1.75A

Output C+C=15W

Dimension : 48*48*44mm_us

48*48*67.34mm_eu

48*48*51.23mm_uk

48*48*52.84mm_au

Color: White/Black

- 35W Universal Charger with retractable cable

PE-35WCC

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.91A,15V2.33A,20V1.75A

Output C+C=15W

Dimension : 48*48*44mm_us

48*48*80mm_eu

48*48*66.8mm_uk

48*48*60.8mm_au

Color: White/Black



- 45W Universal Charger with retractable cable

 new coming

PE-45WCC

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.0A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C+C=12W+12W

Dimension : 48*48*44mm_us

48*48*80mm_eu

48*48*66.8mm_uk

48*48*60.8mm_au


Color: White/Black



- 65W Universal Charger with retractable cable

65^{GaN}
W

FAST CHARGING WALL CHARGER
WITH STRETCHABLE CABLE



PE-65WCC Plug US/EU/UK/AU

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2 Line: 5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C+C Line=45W+20W

Dimension : 48*48*51.9mm_us

48*48*75.54mm_eu

48*48*59.23mm_uk

48*48*60.84mm_au

Color: White/Black

- 65W Universal Charger with retractable cable

PE-65WCC

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C+C Line=45W+20W

Dimension : 48*48*51.9mm_us

48*48*91mm_eu

48*48*77.8mm_uk

48*48*71.8mm_au

Color: White/Black



- 70W Universal Charger with retractable cable

 new coming

PE-70WCC

70W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2 Line: 5V3A,9V3A,12V3A,15V3A,20V3.5A

Output C+C Line=45W+20W

Dimension : 48*48*51.9mm_us

48*48*91mm_eu

48*48*77.8mm_uk

48*48*71.8mm_au

Color: White/Black



- 100W Universal Charger with retractable cable

Peter Power

 new coming



PE-100WCCCA

100W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C1 Line:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output C2:5V3A/9V3A/12V3A/15V3A/20V5A

Output C3:5V3A/9V3A/12V2.5A/15V2A/20V1.5A

Output A1:5V3A/9V3A/12V2.5A/15V2A/20V1.5A

Output C1+C2/C1+C3/C1+A/C2+C3/C2+A: 65W+30W

OutputC1+C2+C3/C1+C2+A/C2+C3+A=45W+30W+18W

Output C3+A1=7.5W

Dimension : 48*48*66mm_us

48*48*105.1mm_eu

48*48*91.9mm_uk

48*48*85.9mm_au

Color: White/Black

- 45W Universal Charger with retractable cable (ultra-thin)

 new coming

PH-45WCC

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C+C=20W+20W

Dimension : 65*48.5*29.5mm_us

102.4*50*29.5mm_eu

87.8*50*29.5mm_uk

93.8*50*29.5mm_au

Color: White/Black



- 65W Universal Charger with retractable cable (ultra-thin)

 new coming

PH-65WCC



65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C+C=45W+12W

Dimension : 65*48.5*29.5mm_us

102.4*50*29.5mm_eu

87.8*50*29.5mm_uk

93.8*50*29.5mm_au

Color: White/Black

- 35W Universal Charger with retractable cable

PM-35WCC



35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.9A,15V2.33A,20V1.75A

Output C1+C2: 15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

- 35W Universal Charger with retractable cable

PM-35WCCA

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.9A,15V2.33A,20V1.75A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2: 15W

Output C1/C2+A1: 15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black



- 45W Universal Charger with retractable cable

PM-45WCC



45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.2A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C1+C2: 20W+20W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

- 45W Universal Charger with retractable cable

PM-45WCCA

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.2A 50/60Hz

Output C1/2:5V3A/9V3A/12V3A/15V3A/20V2.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :30W+12W

Output C1+A1 :20W+18W

Output C2+A1 :15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black



- 65W Universal Charger with retractable cable

PM-65WCC

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.6A 50/60Hz

Output C1/2:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output C1+C2: 45W+20W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black



- 65W Universal Charger with retractable cable

PM-65WCCA



65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.6A 50/60Hz

Output C1/2:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

- 2025 new product (Under development)

QV-100WC



100W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V5A

Dimension : 69.5*32*55mm_us

Color: White/Black

- 100W Foldable multi port small charger

👉 new coming



QV-100WCCCA

100W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V5A

C3:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output A :5V3A,9V3A,12V3A,20V3A

Output C1/2+C3 :65W+30W

Output C1/2+A1 :65W+30W

Output C1+C2+C3 :45W+30W+20W

Output C1+C2+A1:45W+30W+20W

Output C1/C2+(C3+A1)=65W+15W

Output C1+C2+(C3+A1)=45W+30W+15W

Output C3+A1=15W

Dimension : 69.5*32*55mm_us

Color: White/Black

- 140W Foldable multi port small charger

QV-140WCCA



140W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V5A,28V5A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :65W+65W

Output C1/2+A1 :100W+18W

Output C1+C2+A1:65W+45W+18W

Dimension : 82.9*32.8*65.8mm_us

Color: White/Black

2024 Product Introduction

- 65&67W Foldable multi port small charger

PeterPower

NEW DESIGN| WALL CHARGER|2024

Foldable multi port small charger

GAN Fast charging, to make your equipments full pf power quickly
Three port fast charging, one phone or tablet charger is enough
Compact and easy to carry
More convenient, save more space in your bag
V0 level high temperature flame retardant
Over temperature protection, over temperature protection, overload protection, overvoltage protection, short circuit protection



- 67W Foldable multi port small charger

PX-67WC



67W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.35A

Dimension : 59.4*41*31mm_us

96.8*41*31mm_eu

82*41*48mm_uk

76.2*41*31mm_au

Color: White/Black

- 67W Foldable multi port small charger

PX-67WCA



67W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.35A

Output A :5V3A,9V2A,12V1.5A

Output C+A :5V3A=15W

Dimension : 59.4*41*31mm_us

96.8*41*31mm_eu

82*41*48mm_uk

76.2*41*31mm_au

Color: White/Black

- 67W Foldable multi port small charger

PX-67WCCA



67W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.35A

Output A :5V3A,9V2A,12V1.5A

sOutput C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :5V3A=15W

Output C1+(C2+A1) :45W+15W

Dimension : 59.4*41*31mm_us

96.8*41*31mm_eu

82*41*48mm_uk

76.2*41*31mm_au

Color: White/Black

- 20&30&35&45&65&67W Foldable multi port charger

NEW DESIGN| WALL CHARGER|2024

Foldable multi port charger

PD 20W/30W/35W/45W/65W WALL CHARGER




PD 20W/30W/35W/45W/65W WALL CHARGER



GAN Fast charging, to make your equipments full pf power quickly
Series product line
Compact and easy to carry
More convenient, save more space in your bag
V0 level high temperature flame retardant
Over temperature protection, over temperature protection, overload protection, overvoltage protection, short circuit protection

- 20W Foldable multi port charger

PN-20WC



20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C: 5V3A,9V2.22A,12V1.67A

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

- 20W Foldable multi port charger

PN-20WCA



20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C: 5V3A,9V2.22A,12V1.67A

Output A :5V3A,9V2A,12V1.5A

Output C+A :5V3A=15W

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

- 30W Foldable multi port charger

PN-30WC



30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C:5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

- 30W Foldable multi port charger

PN-30WCA



30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C:5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Output A:5V3A,9V3A,12V2.25A,20V1.35A

Output C+A :5V3.6A=18W

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

- 35W Foldable multi port charger



PN-35WCA

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C:5V3A,9V3A,12V2.92A,15V2.33A,20V1.75A

Output A:5V3A,9V3A,12V2.25A,20V1.35A

Output C+A :5V3.6A=18W

Dimension : 47.8*41*31mm_us

85.2*41*31mm_eu

70.6*41*48mm_uk

64.6*41*31mm_au

Color: White/Black

- 35W Foldable multi port charger



PN-35WCC

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.92A,15V2.33A,20V1.75A

Output C1+C2 :17.5W+17.5W

Dimension : 47.8*41*31mm_us

85.2*41*31mm_eu

70.6*41*48mm_uk

64.6*41*31mm_au

Color: White/Black

- 45W Foldable multi port charger

PN-45WC



45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V2.25A

Dimension : 56.8*41*31mm_us

94.2*41*31mm_eu

79.6*41*48mm_uk

73.6*41*31mm_au

Color: White/Black

- 45W Foldable multi port charger

PN-45WCA



45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output A :5V3A,9V2A,12V1.5A

Output C+A :30W+12W

Dimension : 56.8*41*31mm_us

94.2*41*31mm_eu

79.6*41*48mm_uk

73.6*41*31mm_au

Color: White/Black

- 45W Foldable multi port charger

PN-45WCC



45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C1+C2 :25W+20W

Dimension : 56.8*41*31mm_us

94.2*41*31mm_eu

79.6*41*48mm_uk

73.6*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger

PN-65WC



65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V3.25A

Dimension : 67.6*41*31mm_us

105*41*31mm_eu

90.4*41*48mm_uk

84.4*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger



PN-65WCA

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C+A :45W+15W

Dimension : 67.6*41*31mm_us

105*41*31mm_eu

90.4*41*48mm_uk

84.4*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger



PN-65WCC

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C1+C2 :45W+20W

Dimension : 67.6*41*31mm_us

105*41*31mm_eu

90.4*41*48mm_uk

84.4*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger



PN-65WCCA

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :5V3A=15W

Output C1+(C2+A1):45W+15W

Dimension : 67.6*41*31mm_us

105*41*31mm_eu

90.4*41*48mm_uk

84.4*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger

TR-65WC



65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V3.25A

Dimension : 67.8*41*31mm_us

105.2*41*31mm_eu

90.6*41*48mm_uk

84.6*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger



TR-65WCA

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C+A :45W+15W

Dimension : 67.8*41*31mm_us

105.2*41*31mm_eu

90.6*41*48mm_uk

84.6*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger



TR-65WCC

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C1+C2 :45W+20W

Dimension : 67.8*41*31mm_us

105.2*41*31mm_eu

90.6*41*48mm_uk

84.6*41*31mm_au

Color: White/Black

- 65W Foldable multi port charger



TR-65WCCA

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :5V3A=15W

Output C1+(C2+A1):45W+15W

Dimension : 67.8*41*31mm_us

105.2*41*31mm_eu

90.6*41*48mm_uk

84.6*41*31mm_au

Color: White/Black